



# TYPE APPROVAL CERTIFICATE

Certificate No:  
**TAA000023E**  
Revision No:  
**1**

## This is to certify:

**That the Network and Communication Components**

with type designation(s)  
**SDW-500 series and MCW-211 series**

Issued to

**Westermo Network Technologies AB**  
**STORA SUNDBY, Sweden**

is found to comply with

**DNV rules for classification – Ships, offshore units, and high speed and light craft**

## Application :

**Product(s) approved by this certificate is/are accepted for installation on all vessels classed by DNV.**

## Location classes:

<b>Temperature</b>	<b>B</b>
<b>Humidity</b>	<b>B</b>
<b>Vibration</b>	<b>A</b>
<b>EMC</b>	<b>B</b>
<b>Enclosure</b>	<b>Required protection according to relevant rules shall be provided upon installation onboard.</b>

Issued at **Høvik** on **2022-01-21**

for **DNV**

This Certificate is valid until **2023-12-31**.

DNV local station: **Sweden CMC**

Approval Engineer: **Ståle Sneen**

.....  
**Trond Sjøvåg**  
**Head of Section**

This Certificate is subject to terms and conditions overleaf. Any significant change in design or construction may render this Certificate invalid. The validity date relates to the Type Approval Certificate and not to the approval of equipment/systems installed.

LEGAL DISCLAIMER: Unless otherwise stated in the applicable contract with the holder of this document, or following from mandatory law, the liability of DNV AS, its parent companies and their subsidiaries as well as their officers, directors and employees ("DNV") arising from or in connection with the services rendered for the purpose of the issuance of this document or reliance thereon, whether in contract or in tort (including negligence), shall be limited to direct losses and under any circumstance be limited to 300,000 USD.



Form code: TA 251

Revision: 2021-03

www.dnv.com

Page 1 of 3

## Product description

Westermo SDW-500 series 5-port Industrial Ethernet Switches for DIN-rail mounting and MCW-211 series Industrial Ethernet FX/TX Media Converters for DIN-rail mounting, comprising the following models:

Art. No.	Type Designation	Description	
3644-0001	SDW-550	Industrial Ethernet Switch	10/100Base-T/TX: 5 ports
3644-0022	SDW-541-SM-LC15		10/100Base-T/TX: 4 ports 100Base-FX: 1 port
3644-0023	SDW-541-MM-LC2		10/100Base-T/TX: 4 ports 100Base-FX: 1 port
3644-0025	SDW-541-SM-LC40		10/100Base-T/TX: 4 ports 100Base-FX: 1 port
3644-0032	SDW-532-2-SM-LC15		10/100Base-T/TX: 3 ports 100Base-FX: 2 ports
3644-0033	SDW-532-2-MM-LC2		10/100Base-T/TX: 3 ports 100Base-FX: 2 ports
3644-0035	SDW-532-2-SM-LC40	10/100Base-T/TX: 3 ports 100Base-FX: 2 ports	
3645-0030	MCW-211-SM-LC15	Industrial Ethernet FX/TX Media Converter	10/100Base-T/TX: 1 port 100Base-FX: 1 port
3645-0040	MCW-211-SM-LC40		10/100Base-T/TX: 1 port 100Base-FX: 1 port
3645-0050	MCW-211-MM-LC2		10/100Base-T/TX: 1 port 100Base-FX: 1 port

MM = Multimode fibre  
 SM = Singlemode fibre  
 LC = Connector type LC

Power supply: Rated voltage 12-48 VDC

## Approval conditions

The Type Approval covers hardware listed under Product description. When the hardware is used in applications to be classed by DNV, documentation for the actual application is to be submitted for approval by the manufacturer of the application system in each case. Reference is made to DNV rules for classification of ships Pt.4 Ch.9 Control and monitoring systems.

## Application/Limitation

Compass safe distance	Standard	Steering
SDW-550	15 cm	10 cm
Other models	10 cm	5 cm

## Type Approval documentation

SDW-500 series User Guide: 6644-2212 Rev. C, dated 2010.04

SDW-550 User Guide: 6644-2230 Rev. B, dated 2010.04

MCW-211 series User Guide: 6645-2202 Rev. B, dated 2010.09

Datasheets: SDW-532datasheetSE, SDW-541datasheetSE, SDW-550datasheetSE, MCW-211datasheetSE.

Test reports: DELTA REC-E702070\_2 Rev.1, dated 2008-11-06,  
 DELTA REC-E702070\_1, dated 2010-07-16,  
 DELTA REC-E702621, dated 2010-06-14,  
 DELTA 621-20340-10-R0 Rev.-, dated 2021-11-30.

Type approval periodical assessment report for TAA000023E, DNV Sweden CMC 2021-01-03.

## Tests carried out

Applicable tests according to class guideline DNV-CG-0339, August 2021.

For the bridge mounted components the 'Compass safe distance' was measured according to section 11.2 of IEC 60945 4th edition (2002).



Job Id: **262.1-005815-5**  
Certificate No: **TAA000023E**  
Revision No: **1**

## Marking of product

Westermo

Art. No. and Type as listed under Product description

Unique serial number

Power supply voltage and current rating

## Periodical assessment

The scope of the periodical assessment is to verify that the conditions stipulated for the type are complied with, and that no alterations are made to the product design or choice of systems, software versions, components and/or materials.

The main elements of the assessment are:

- Ensure that type approved documentation is available
- Inspection of factory samples, selected at random from the production line (where practicable)
- Review of production and inspection routines, including test records from product sample tests and control routines
- Ensuring that systems, software versions, components and/or materials used comply with type approved documents and/or referenced system, software, component and material specifications
- Review of possible changes in design of systems, software versions, components, materials and/or performance, and make sure that such changes do not affect the type approval given
- Ensuring traceability between manufacturer's product type marking and the type approval certificate

Periodical assessment is to be performed after 2 years and after 3.5 years. A renewal assessment will be performed at renewal of the certificate.

END OF CERTIFICATE