

DK-123703-UL

IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST CERTIFICATES FOR ELECTRICAL EQUIPMENT (IECEE) CB SCHEME

CB TEST CERTIFICATE Industrial Gigabit Switch **Product** WESTERMO NETWORK TECHNOLOGIES AB Name and address of the applicant WIJ 4 STORA SUNDBY 635 35 SWEDEN WESTERMO NETWORK TECHNOLOGIES AB Name and address of the manufacturer WIJ 4 STORA SUNDBY 635 35 SWEDEN Name and address of the factory WESTERMO NETWORK TECHNOLOGIES AB WIJ 4 STORA SUNDBY 635 35 SWEDEN Note: When more than one factory, please report on page 2 ☐ Additional Information on page 2 See Page 2 Ratings and principal characteristics Trademark (if any) **WESTERMO** Customer's Testing Facility (CTF) Stage used RedFox-5728-E-F4G-T24G-LV, RedFox-5728-E-F4G-T24G-LVLV, RedFox-5728-E-F16G-T12G-LV, RedFox-5728-E-F16G-T12G-LVLV, Model / Type Ref. RedFox-5728-F4G-T24G-LV, RedFox-5728-F4G-T24G-LVLV, RedFox-5728-F16G-T12G-LV, RedFox-5728-F16G-T12G-LVLV ☐ Additional Information on page 2 Additionally evaluated to: EN 61010-1:2010, EN 61010-1:2010/A1:2019, EN IEC 61010-2-201:2018. National differences specified in the CB Test Additional information (if necessary may also be reported on page 2) Report. ☐ Additional Information on page 2 A sample of the product was tested and found IEC 61010-1:2010, IEC 61010-1:2010/AMD1:2016, IEC 61010-2-201:2017 to be in conformity with

This CB Test Certificate is issued by the National Certification Body



part of this Certificate

□ UL (US), 333 Pfingsten Rd IL 60062, Northbrook, USA

☑ UL (Demko), Borupvang 5A DK-2750 Ballerup, DENMARK
□ UL (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN
□ UL (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA

E508033-D1002-1/A0/C0-ULCB issued on 2022-01-21

For full legal entity names see www.ul.com/ncbnames

Date: 2022-01-27 Signature:

As shown in the Test Report Ref. No. which forms

Jan-Erik Storgaard



DK-123703-UL

Ratings:

RedFox-5728-E-F4G-T24G-LV, RedFox-5728-E-F4G-T24G-LVLV, RedFox-5728-F4G-T24G-LVLV, RedFox-5728-F4G-T24G-LV:

24 - 48 Vdc, 1.14 - 0.57A

RedFox-5728-E-F16G-T12G-LV, RedFox-5728-E-F16G-T12G-LVLV, RedFox-5728-F16G-T12G-LV,

RedFox-5728-F16G-T12G-LVLV:

24 - 48 Vdc, 1.28 - 0.64A

I/O Status Relay: DC general use, Pilot duty 60V/80mA

Additional information (if necessary)



□ UL (US), 333 Pfingsten Rd IL 60062, Northbrook, USA
☑ UL (Demko), Borupvang 5A DK-2750 Ballerup, DENMARK

□ UL (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN □ UL (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA

For full legal entity names see www.ul.com/ncbnames

Date: 2022-01-27

Signature: Jan-Erik Storgaard