



# RedFox 5728 Series

Industrial routing switches



**weos**

# Table of Contents

|                                                        |    |
|--------------------------------------------------------|----|
| 1. General Information .....                           | 3  |
| 1.1. Legal Information .....                           | 3  |
| 1.2. About This Guide .....                            | 3  |
| 1.3. Software Tools .....                              | 3  |
| 1.4. License and Copyright for Included FLOSS .....    | 3  |
| 1.5. WeOS .....                                        | 3  |
| 2. Safety and Regulations .....                        | 4  |
| 2.1. Warning Levels .....                              | 4  |
| 2.2. Safety Information .....                          | 5  |
| 2.3. Care Recommendations .....                        | 8  |
| 2.4. Product Disposal .....                            | 8  |
| 2.5. Compliance Information .....                      | 9  |
| 2.5.1. Agency Approvals and Standards Compliance ..... | 9  |
| 2.5.2. EN/IEC/UL 61010-2-201 Notice .....              | 9  |
| 2.5.3. FCC Part 15.105 Class A Notice .....            | 9  |
| 2.5.4. Simplified Declaration of Conformity .....      | 10 |
| 3. Product Description .....                           | 11 |
| 3.1. Product Description .....                         | 11 |
| 3.2. Available Models .....                            | 12 |
| 3.3. Hardware Overview .....                           | 13 |
| 3.4. Connector Information .....                       | 13 |
| 3.4.1. Power Input .....                               | 13 |
| 3.4.2. I/O Connection .....                            | 15 |
| 3.4.3. Console Port .....                              | 16 |
| 3.4.4. Micro SD .....                                  | 16 |
| 3.4.5. SFP Transceivers .....                          | 16 |
| 3.5. LED Indicators .....                              | 18 |
| 3.6. Dimensions .....                                  | 19 |
| 4. Installation .....                                  | 20 |
| 4.1. Mounting .....                                    | 20 |
| 4.1.1. Rack Mounting .....                             | 20 |
| 4.2. Protective Earth Connection .....                 | 20 |
| 4.3. Cooling .....                                     | 20 |
| 4.3.1. SFP Placement .....                             | 20 |
| 5. Specifications .....                                | 22 |
| 5.1. Interface Specifications .....                    | 22 |
| 5.2. Type Tests and Environmental Conditions .....     | 27 |
| 6. Revision Notes .....                                | 31 |

## 1. General Information

### 1.1. Legal Information

The contents of this document are provided “as is”. Except as required by applicable law, no warranties of any kind are made in relation to the accuracy and reliability or contents of this document, either expressed or implied, including but not limited to the implied warranties of merchantability and fitness for a particular purpose. Westermo reserves the right to revise this document or withdraw it at any time without prior notice.

Under no circumstances shall Westermo be responsible for any loss of data or income or any special, incidental, and consequential or indirect damages howsoever caused.

More information about Westermo can be found at [www.westermo.com](http://www.westermo.com).

### 1.2. About This Guide

This guide is intended for installation engineers and users of the Westermo products.

It includes information on safety and regulations, a product description, installation instructions and technical specifications.

### 1.3. Software Tools

Related software tools are available at <https://www.westermo.com/support/product-support>.

### 1.4. License and Copyright for Included FLOSS

This product includes software developed by third parties, including Free/Libre Open Source Software (FLOSS). The specific license terms and copyright associated with the software are included in each software package respectively. Please visit the product web page for more information.

Upon request, the applicable source code will be provided. A nominal fee may be charged to cover shipping and media. Please direct any source code request to your normal sales or support channel.

### 1.5. WeOS

This product runs WeOS 5 (Westermo Operating System). Instructions for quick start, configuration and factory reset are found in the WeOS user documentation at [www.westermo.com](http://www.westermo.com).

## 2. Safety and Regulations

### 2.1. Warning Levels

Warning signs are provided to prevent personal injuries and/or damages to the product. The following levels are used:

| Level of warning                                                                                    | Description                                                                                 | Consequence personal injury    | Consequence material damage    |
|-----------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------|--------------------------------|--------------------------------|
| <br><b>WARNING</b> | Indicates a potentially hazardous situation                                                 | Possible death or major injury | Major damage to the product    |
| <br><b>CAUTION</b> | Indicates a potentially hazardous situation                                                 | Minor or moderate injury       | Moderate damage to the product |
| <br><b>NOTICE</b>  | Provides information in order to avoid misuse of the product, confusion or misunderstanding | No personal injury             | Minor damage to the product    |
| <br><b>NOTE</b>  | Used for highlighting general, but important information                                    | No personal injury             | Minor damage to the product    |

Table 1. Warning levels

## 2.2. Safety Information

### Before installation:

Read this manual completely and gather all information available on the product. Make sure it is fully understood. Check that your application does not exceed the safe operating specifications for the product.



#### **SAFETY DURING INSTALLATION**

The product must be installed and operated by qualified service personnel and installed into an apparatus cabinet or similar, where access is restricted to service personnel only.

Refer to chapter Compliance Information to see the required level of qualified service personnel according to safety standards.

Before energising and connecting communication cables to the product, ensure a protective earthing conductor is first connected to the protective earthing terminal (only valid for metallic housings). Westermo recommends a cross-sectional area of at least 4 mm<sup>2</sup>.

Upon removal of the product, disconnect the product from the power supply and all other communication ports before disconnecting the protective earthing conductor.



#### **HAZARDOUS VOLTAGE**

Do not open an energised product. Hazardous voltage may occur when connected to a power supply.

*For RedFox models with a rated voltage above 48 VDC or 30 VAC:*  
Apply the protective cap (delivered with the product) on the power cable.




### **WARNING - PREVENT ACCESS TO HAZARDOUS VOLTAGE CABLE**

Apply the protective cap (if delivered with the product) on the power cable, according to the illustrated steps below. The number of pins on the connector plug may vary depending on product.

To prevent accidentally pulling out wires, make sure the power cable and the wires are firmly attached to the protective cap.

For screw connectors, make sure the screws are properly tightened, as well as routing the wires separately from other wires. For connectors with straps, fasten the cable as strain relief, as well as routing the wires separately.



### **PROTECTIVE FUSE**

It must be possible to disconnect manually from the power supply. Ensure compliance to national installation regulations.

Replacing the internal fuse must only be performed by Westermo qualified personnel.



### **POWER SUPPLY CONNECTION**

There are safety regulations governing the power source that can be used in conjunction with the product. Refer to chapter Interface Specifications.



### **REDUCE THE RISK OF FIRE**

To reduce the risk of fire, use only telecommunication line cords with a cable diameter of AWG 26 or larger. Regarding power cable dimensions, see chapter Interface Specifications.

**CLASS 1 LASER PRODUCT**

Do not look directly into a fibre optical port or any connected fibre, although the product is designed to meet the Class 1 Laser regulations and complies with 21 CFR 1040.10 and 1040.11.

**HANDLING OF SFP TRANSCEIVERS**

SFP transceivers are supplied with plugs to avoid contamination inside the optical port. They are very sensitive to dust and dirt. If the fibre optic cable is disconnected from the product, a protective plug must be used on the transmitter/receiver. The protective plug must be kept on during transportation. The fibre optic cable must be handled the same way.

**CORROSIVE GASES**

If the product is placed in a corrosive environment, it is important that all unused connector sockets are protected with a suitable plug, in order to avoid corrosion attacks on the gold plated connector pins.

**ELECTROSTATIC DISCHARGE (ESD)**

Prevent electrostatic discharge damage to internal electronic parts by discharging your body to a grounding point (e.g. use a wrist strap).

**CABLE TEMPERATURE RATING FOR FIELD TERMINAL WIRES**

There may be a requirement on the minimum temperature rating of the cable to be connected to the field wiring terminals, see chapter Interface Specifications.

### 2.3. Care Recommendations

Follow the care recommendations below to maintain full operation of the product and to fulfill the warranty obligations:

- Do not drop, knock or shake the product. Rough handling above the specification may cause damage to internal circuit boards.
- Use a dry or slightly water-damp cloth to clean the product. Do not use harsh chemicals, cleaning solvents or strong detergents.
- Do not paint the product. Paint can clog the product and prevent proper operation.

If the product is used in a manner not according to specification, the protection provided by the equipment may be impaired.

If the product is not working properly, contact the place of purchase, the nearest Westermo distributor office or Westermo technical support.

### 2.4. Product Disposal

This symbol means that the product shall not be treated as unsorted municipal waste when disposing of it. It needs to be handed over to an applicable collection point for recycling electrical and electronic equipment.

Proper disposal of the product helps minimize hazardous substances and prevents potential negative impacts on both the environment and human health.



*Figure 1. WEEE symbol for treatment of product disposal*

## 2.5. Compliance Information

### 2.5.1. Agency Approvals and Standards Compliance

| Type                         | Approval/Compliance                                                                                                                                                                                                                                                                                                                                            |
|------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>EMC</b>                   | <ul style="list-style-type: none"><li>• EN 50121-4/IEC 62236-4, Railway signalling and telecommunications apparatus</li><li>• EN/IEC 61000-6-2, Immunity industrial environments</li><li>• EN/IEC 61000-6-4, Emission industrial environments</li><li>• EN/IEC 61000-6-5, Immunity power station and substation environment</li></ul>                          |
| <b>EMI</b>                   | <ul style="list-style-type: none"><li>• FCC Part 15.105 Class A</li></ul>                                                                                                                                                                                                                                                                                      |
| <b>Substation automation</b> | <ul style="list-style-type: none"><li>• IEEE 1613, Testing Requirements for Communications Networking Devices Installed in Electric Power Substations</li><li>• IEC 61850-3, Communication networks and systems for power utility automation - Part 3: General requirements</li></ul>                                                                          |
| <b>Marine</b>                | <ul style="list-style-type: none"><li>• DNV GL rules for classification - Ships and offshore units</li></ul>                                                                                                                                                                                                                                                   |
| <b>Safety</b>                | <ul style="list-style-type: none"><li>• EN/IEC/UL 61010-1, Safety requirements for electrical equipment for measurement, control, and laboratory use - Part 1: General requirements</li><li>• EN/IEC/UL 61010-2-201, Safety requirements for electrical equipment for measurement, control, and laboratory use - Part 2-201: Particular requirements</li></ul> |

Table 2. Agency approvals and standards compliance

### 2.5.2. EN/IEC/UL 61010-2-201 Notice

This product has been tested and found compliant to EN/IEC/UL 61010-2-201, Safety requirements for electrical equipment for measurement, control, and laboratory use. In accordance with the definitions of the standard, this product shall be handled by skilled service personnel.

### 2.5.3. FCC Part 15.105 Class A Notice

This product has been tested and found to comply with the limits for a Class A digital device, pursuant to Part 15 of the FCC Rules.

These limits are designed to provide reasonable protection against harmful interference when the product is operated in a commercial environment.

This product generates, uses, and can radiate radio frequency energy and, if not installed and used in accordance with the user manual, may cause harmful interference to radio communications. Operation of this product in a residential area is likely to cause harmful interference in which case the user will be required to correct the interference at the users own expense.

#### 2.5.4. Simplified Declaration of Conformity

Hereby, Westermo declares that this product is in compliance with applicable EU directives and UK legislations. The full declaration of conformity and other detailed information is available at [www.westermo.com/support/product-support](http://www.westermo.com/support/product-support).



*Figure 2. The European Conformity and the UK Conformity Assessment markings*

## 3. Product Description

### 3.1. Product Description

RedFox 5728 takes communication reliability for substations to a new level. We know that in critical substation automation applications, even the loss of a single piece of data can disturb the operations, and that is why RedFox 5728 brings the highest reliability to your network. Withstanding the toughest environmental conditions, including the high EMI levels derived from load switching and lightning strikes and extreme ambient temperatures, RedFox-5728 ensures 100% uptime, no matter what.

IEC 61850-3 and IEEE 1613 standards define the requirements and test levels for networking devices. They specify two different device reliability classes: Class 1 devices, which allow for communication errors; and Class 2 devices, which do not allow loss of a single transmission package even during the highest electro magnetic disturbances (EMI). RedFox 5728 meets or exceeds all test levels for Class 2 fulfilment, attaining KEMA type test gold certification, ensuring zero down-time, communication losses, delays or errors.


Superior build quality, the exclusive use of industrial grade components and extensive in-house testing results in class-leading MTBF and extended service life. Designed to run efficiently from either one or two power inputs, with dual internal power supplies fully isolated from each other and all other interfaces. The 28-port switch has all connectors located at the front for easy access and a range of different port configurations, customizable with SFP transceivers.

For resilient operations in substations not only is the most robust hardware needed, but also the most robust software. Available with both layer 2 and layer 3 functionality, RedFox 5728 is powered by the next generation WeOS operating system, which ensures continuous operation and support for an expanding range of protocols and features. Intuitive set-up and configuration enable easy and cost-efficient installation and removes the need for specialized IT support or training. Recognizing the growing sophistication of cyberattacks, an extensive suite of cyber security tools is also available.

### 3.2. Available Models

| Art. no.  | Model                        | No. of SFP ports | No. of copper ports | Layer   |
|-----------|------------------------------|------------------|---------------------|---------|
| 3641-4350 | RedFox-5728-F4G-T24G-LV      | 4                | 24                  | Layer 2 |
| 3641-4355 | RedFox-5728-F4G-T24G-LVLV    | 4                | 24                  | Layer 2 |
| 3641-4550 | RedFox-5728-F4G-T24G-HV      | 4                | 24                  | Layer 2 |
| 3641-4555 | RedFox-5728-F4G-T24G-HVHV    | 4                | 24                  | Layer 2 |
| 3641-4360 | RedFox-5728-F16G-T12G-LV     | 16               | 12                  | Layer 2 |
| 3641-4365 | RedFox-5728-F16G-T12G-LVLV   | 16               | 12                  | Layer 2 |
| 3641-4560 | RedFox-5728-F16G-T12G-HV     | 16               | 12                  | Layer 2 |
| 3641-4565 | RedFox-5728-F16G-T12G-HVHV   | 16               | 12                  | Layer 2 |
| 3641-4620 | RedFox-5728-F24G-T4G-LV      | 24               | 4                   | Layer 2 |
| 3641-4630 | RedFox-5728-F24G-T4G-LVLV    | 24               | 4                   | Layer 2 |
| 3641-4640 | RedFox-5728-F24G-T4G-HV      | 24               | 4                   | Layer 2 |
| 3641-4650 | RedFox-5728-F24G-T4G-HVHV    | 24               | 4                   | Layer 2 |
| 3641-4250 | RedFox-5728-E-F4G-T24G-LV    | 4                | 24                  | Layer 3 |
| 3641-4255 | RedFox-5728-E-F4G-T24G-LVLV  | 4                | 24                  | Layer 3 |
| 3641-4450 | RedFox-5728-E-F4G-T24G-HV    | 4                | 24                  | Layer 3 |
| 3641-4455 | RedFox-5728-E-F4G-T24G-HVHV  | 4                | 24                  | Layer 3 |
| 3641-4260 | RedFox-5728-E-F16G-T12G-LV   | 16               | 12                  | Layer 3 |
| 3641-4265 | RedFox-5728-E-F16G-T12G-LVLV | 16               | 12                  | Layer 3 |
| 3641-4460 | RedFox-5728-E-F16G-T12G-HV   | 16               | 12                  | Layer 3 |
| 3641-4465 | RedFox-5728-E-F16G-T12G-HVHV | 16               | 12                  | Layer 3 |
| 3641-4720 | RedFox-5728-E-F24G-T4G-LV    | 24               | 4                   | Layer 3 |
| 3641-4730 | RedFox-5728-E-F24G-T4G-LVLV  | 24               | 4                   | Layer 3 |
| 3641-4740 | RedFox-5728-E-F24G-T4G-HV    | 24               | 4                   | Layer 3 |
| 3641-4750 | RedFox-5728-E-F24G-T4G-HVHV  | 24               | 4                   | Layer 3 |

### 3.3. Hardware Overview



| No. | Description                                          | No. | Description                                             |
|-----|------------------------------------------------------|-----|---------------------------------------------------------|
| 1   | I/O connection                                       | 2   | Console port                                            |
| 3   | Micro SD                                             | 4   | LED indicators                                          |
| 5   | 100/1000 Mbit/s SFP port (number depending on model) | 6   | 10/100/1000 Mbit/s TX ports (number depending on model) |
| 7   | Power input                                          | 8   | Protective earth                                        |
| 9   | Label with data matrix <sup>a</sup>                  |     |                                                         |

<sup>a</sup>The base MAC address and production date of the product is included in the front label data matrix.

Figure 3. Location of interface ports and LED indicators, illustrated by a RedFox-5728-F16G-T12G-HVHV

### 3.4. Connector Information

#### 3.4.1. Power Input

| Illustration | Position | Product marking | Direction | Description                        |
|--------------|----------|-----------------|-----------|------------------------------------|
|              | AC/DC1   | L(+)            | Input     | Line/Phase (AC), positive (DC)     |
|              |          | N(-)            | Input     | Neutral (AC), negative/return (DC) |
|              |          | ⏏               | Input     | Functional earth                   |
|              | AC/DC2   | L(+)            | Input     | Line/Phase (AC), positive (DC)     |
|              |          | N(-)            | Input     | Neutral (AC), negative/return (DC) |
|              |          | ⏏               | Input     | Functional earth                   |

Table 3. Power input HVHV


| Illustration                                                                      | Position | Product marking | Direction | Description                        |
|-----------------------------------------------------------------------------------|----------|-----------------|-----------|------------------------------------|
|  | AC/DC1   | L(+)            | Input     | Line/Phase (AC), positive (DC)     |
|                                                                                   |          | N(-)            | Input     | Neutral (AC), negative/return (DC) |
|                                                                                   |          | ⏏               | Input     | Functional earth                   |

Table 4. Power input HV


| Illustration                                                                      | Product marking | Direction | Description    |
|-----------------------------------------------------------------------------------|-----------------|-----------|----------------|
|  | +DC1            | Input     | Supply voltage |
|                                                                                   | +DC2            | Input     | Supply voltage |
|                                                                                   | -COM            | Input     | Common         |
|                                                                                   | -COM            | Input     | Common         |

Table 5. Power input LV and LVLV models



#### NOTE - COM TERMINALS

On LV models, COM terminals are galvanically connected together. For LVLV models, COM terminals correspond to each power supply and are isolated from each other.




### WARNING - PREVENT ACCESS TO HAZARDOUS VOLTAGE CABLE

Apply the protective cap (if delivered with the product) on the power cable, according to the illustrated steps below. The number of pins on the connector plug may vary depending on product.

To prevent accidentally pulling out wires, make sure the power cable and the wires are firmly attached to the protective cap.

For screw connectors, make sure the screws are properly tightened, as well as routing the wires separately from other wires. For connectors with straps, fasten the cable as strain relief, as well as routing the wires separately.



### CABLE TEMPERATURE RATING FOR FIELD TERMINAL WIRES

There may be a requirement on the minimum temperature rating of the cable to be connected to the field wiring terminals, see chapter Interface Specifications.

## 3.4.2. I/O Connection

| Illustration | Position   | Product marking | Direction | Description                                                                              |
|--------------|------------|-----------------|-----------|------------------------------------------------------------------------------------------|
|              | Digital in | DI+             | Input     | Digital in+                                                                              |
|              |            | DI-             |           | Digital in-                                                                              |
|              | Status     | Status NO       | Output    | Alarm (status) relay contact<br>NO - Normally Open<br>C - Common<br>NC - Normally Closed |
|              |            | Status C        |           |                                                                                          |
|              |            | Status NC       |           |                                                                                          |

Table 6. I/O connection

The Digital in is an opto-isolated digital input, which can be used to monitor external events.

The Status output is a potential free, opto-isolated, alternation (Form-C) solid-state relay. This can be configured to monitor various alarm events within the product, see

WeOS user documentation at [www.westermo.com](http://www.westermo.com). An external load in series with an external DC voltage source is required for proper functionality.

| Unit condition                              | Status NO- C | Status NC-C |
|---------------------------------------------|--------------|-------------|
| Unpowered / pre-operational or Alarm active | OPEN         | CLOSED      |
| Operational and Alarm inactive              | CLOSED       | OPEN        |

Table 7. Status output

3.4.3. Console Port

The console port can be used to connect to the CLI (Command Line Interface). The console connector is a USB cable that connects to a FTDI FT232R USB to serial converter internally. For drivers, refer to [www.ftdichip.com](http://www.ftdichip.com) and download the appropriate VCP driver.

Remove the protective cover before inserting the console cable. After removing the console cable, be sure to reassemble the protective cover again.




Figure 4. Remove protective cover for the console port

3.4.4. Micro SD

To insert the micro SD card correctly, turn the gold plated pins upwards.




Figure 5. Insertion of micro SD card

3.4.5. SFP Transceivers

The product supports UL/IEC/CSA certified and Westermo labelled SA-approved transceivers only. See Westermo's modular transceivers datasheets 100 Mbit and 1 Gbit for SA-approved SFP transceivers, which can be downloaded from the product support pages at [www.westermo.com/support/product-support](http://www.westermo.com/support/product-support).

Each SFP slot can hold one SFP transceiver. See "*Transceiver User Guide 6100-0000*" for transceiver handling instructions, which also can be downloaded from the product support pages at [www.westermo.com/support/product-support](http://www.westermo.com/support/product-support).

In the event of contamination, the optical connectors in the SFP transceivers should only be cleaned by the use of forced nitrogen and some kind of cleaning stick. Recommended cleaning fluids are methyl-, ethyl-, isopropyl- or isobutyl alcohol, hexane or naphtha.



#### **HANDLING OF SFP TRANSCEIVERS**

SFP transceivers are supplied with plugs to avoid contamination inside the optical port. They are very sensitive to dust and dirt. If the fibre optic cable is disconnected from the product, a protective plug must be used on the transmitter/receiver. The protective plug must be kept on during transportation. The fibre optic cable must be handled the same way.

### 3.5. LED Indicators

| LED                             | Status                                    | Description                                                                                                         |
|---------------------------------|-------------------------------------------|---------------------------------------------------------------------------------------------------------------------|
| <b>ON</b>                       | OFF                                       | Product has no power                                                                                                |
|                                 | GREEN                                     | All OK, no alarm condition                                                                                          |
|                                 | RED                                       | Alarm condition, or until product has started up. (Alarm conditions are configurable, see <i>WeOS5 User Guide</i> ) |
| <b>RSTP/USR1</b>                | OFF                                       | RSTP disabled                                                                                                       |
|                                 | GREEN                                     | RSTP enabled                                                                                                        |
|                                 | BLINK                                     | Product selected as RSTP/STP root switch                                                                            |
|                                 | USR1                                      | Configurable, see <i>WeOS5 User Guide</i>                                                                           |
| <b>FRNT</b>                     | OFF                                       | FRNT disabled                                                                                                       |
|                                 | GREEN                                     | FRNT OK                                                                                                             |
|                                 | RED                                       | FRNT error                                                                                                          |
|                                 | FLASH                                     | Product configured as FRNT focal point                                                                              |
| <b>DC1 / AC/DC1</b>             | OFF                                       | Product has no power                                                                                                |
|                                 | GREEN                                     | Power OK on DC1 / AC/DC1                                                                                            |
|                                 | RED                                       | DC1 / AC/DC1 input voltage is below operating voltage limit                                                         |
| <b>DC2 / AC/DC2<sup>a</sup></b> | OFF                                       | Product has no power                                                                                                |
|                                 | GREEN                                     | Power OK on DC2 / AC/DC2                                                                                            |
|                                 | RED                                       | DC 2 / AC/DC2 input voltage is below operating voltage limit                                                        |
| <b>USR2</b>                     | Configurable, see <i>WeOS5 User Guide</i> |                                                                                                                     |
| <b>TX/FX ports</b>              | OFF                                       | No link                                                                                                             |
|                                 | GREEN                                     | Link established                                                                                                    |
|                                 | GREEN FLASH                               | Data traffic indication                                                                                             |
|                                 | YELLOW                                    | Port alarm, or port is set in blocking state by link redundancy protocol                                            |

<sup>a</sup>Only available on RedFox-5728 HVHV models

Table 8. LED indicators

3.6. Dimensions

Dimensions are stated in mm.




Figure 6. Dimensional drawing, illustrated by a RedFox-5728-F16G-T12G-HVHV

## 4. Installation

### 4.1. Mounting

RedFox-5728 is designed for installation in 19" rack solutions, with a shallow depth of 240 millimetres.

#### 4.1.1. Rack Mounting

The product can be mounted in all directions inside a 19" apparatus cabinet. Use supplied M6x25 (Philips no. 3) or 1/4x1" screws.




Figure 7. Rack mounted product

### 4.2. Protective Earth Connection

For correct function, the earth connection needs to be properly connected to a designated PE rail. Torx: T25 and torque: 3.2 Nm.



Figure 8. Earth connection


### 4.3. Cooling

This product relies on convection cooling. To avoid obstruction of the airflow around the product, follow the spacing recommendations.

For mounting in 19" apparatus cabinet without forced ventilation, a minimum spacing of 1U according to IEC 60297 or 45 mm (1.75") above and below is recommended.

#### 4.3.1. SFP Placement

Ambient temperature effects the lifespan of electronic components, and prolonged exposure to high temperatures can reduce the overall lifespan. To maximize the lifespan of SFPs used in the product, it is recommended to consider the following for optimized placement of the SFPs in the RedFox-F24G products in terms of thermal characteristics and heat dissipation capabilities:



*Figure 9. SFP placement*

- In the case of fully populating the RedFox -F24G with SFPs, do not use more than four high-power SFPs, such as copper (Cu) SFPs.
- Place high-power SFPs in non-adjacent ports to minimize the local self-heating from neighbouring SFPs.
- Ensure that the rated current consumption for the product is not exceeded.

## 5. Specifications

### 5.1. Interface Specifications



#### **NOTE - USE OF ANTISTATIC ARM-WRIST BAND**

To minimize the risk of exposing the unit to unintentional large static electric fields - if service and maintenance need to be performed during operation, always use an antistatic arm-wrist band.

| Power port                                        |                                                                                                                                                                                                                                                                                        |                                                 |
|---------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------|
| <b>Rated voltage<sup>a</sup></b>                  | LV and LVLV models: 24-48 VDC<br>HV and HVHV models: 110-240 VAC, 50-60 Hz, 110-240 VDC                                                                                                                                                                                                |                                                 |
| <b>Operating voltage</b>                          | LV and LVLV models: 18-60 VDC<br>HV and HVHV models: 85-264 VAC, 47-63 Hz, 85-264 VDC                                                                                                                                                                                                  |                                                 |
| <b>Rated current<sup>b,c</sup></b>                | RedFox-5728-(E)-F4G-T24G-LV<br>RedFox-5728-(E)-F4G-T24G-LVLV                                                                                                                                                                                                                           | 1.08 A at 24 VDC and 0.54 A at 48 VDC           |
|                                                   | RedFox-5728-(E)-F16G-T12G-LV<br>RedFox-5728-(E)-F16G-T12G-LVLV                                                                                                                                                                                                                         | 1.22 A at 24 VDC and 0.61 A at 48 VDC           |
|                                                   | RedFox-5728-(E)-F24G-T4G-LV<br>RedFox-5728-(E)-F24G-T4G-LVLV                                                                                                                                                                                                                           | 1.30 A at 24 VDC and 0.65 A at 48 VDC           |
|                                                   | RedFox-5728-(E)-F4G-T24G-HV<br>RedFox-5728-(E)-F4G-T24G-HVHV                                                                                                                                                                                                                           | 0.13 A at 240 V AC/DC and 0.26 A at 110 V AC/DC |
|                                                   | RedFox-5728-(E)-F16G-T12G-HV<br>RedFox-5728-(E)-F16G-T12G-HVHV                                                                                                                                                                                                                         | 0.15 A at 240 V AC/DC and 0.30 A at 110 V AC/DC |
|                                                   | RedFox-5728-(E)-F24G-T4G-HV<br>RedFox-5728-(E)-F24G-T4G-HVHV                                                                                                                                                                                                                           | 0.16 A at 240 V AC/DC and 0.34 A at 110 V AC/DC |
| <b>Fuse rating</b>                                | LV and LVLV models: 4A(T), 125 VDC, breaking capacity 100 A, UL248-14<br>HV and HVHV models: 4A(T), 350 VAC/VDC, breaking capacity 100 A, UL248-14                                                                                                                                     |                                                 |
| <b>Rated frequency</b>                            | LV and LVLV models: DC<br>HV and HVHV models: DC, 50-60 Hz                                                                                                                                                                                                                             |                                                 |
| <b>Inrush current, I<sup>2</sup>t<sup>d</sup></b> | LV and LVLV models:<br>120 mA <sup>2</sup> s at 24 VDC<br>350 mA <sup>2</sup> s at 48 VDC<br>HV and HVHV models:<br>4 mA <sup>2</sup> s at 240 VAC, 50 HzDC, 50-60 Hz<br>0.4 mA <sup>2</sup> s at 110 VAC, 60 Hz<br>2 mA <sup>2</sup> s at 240 VDC<br>0.1 mA <sup>2</sup> s at 110 VDC |                                                 |
| <b>Startup current<sup>e</sup></b>                | 2x nominal current                                                                                                                                                                                                                                                                     |                                                 |
| <b>Polarity</b>                                   | Reverse polarity protected                                                                                                                                                                                                                                                             |                                                 |
| <b>Redundant power input</b>                      | Yes (LV models)                                                                                                                                                                                                                                                                        |                                                 |
| <b>Redundant power supply</b>                     | Yes (LVLV and HVHV models)                                                                                                                                                                                                                                                             |                                                 |
| <b>Shielded cable</b>                             | Not required                                                                                                                                                                                                                                                                           |                                                 |
| <b>Isolation</b>                                  | All other ports                                                                                                                                                                                                                                                                        |                                                 |
| <b>Connector</b>                                  | Detachable screw terminal                                                                                                                                                                                                                                                              |                                                 |
| <b>Conductor cross section (flexible)</b>         | 0.5-1.5 mm <sup>2</sup> (AWG 20-16). Use copper conductors only.                                                                                                                                                                                                                       |                                                 |
| <b>Stripping length cable</b>                     | 6-7 mm                                                                                                                                                                                                                                                                                 |                                                 |
| <b>Cable temperature rating</b>                   | Minimum temperature rating of the cable to be connected to the field wiring terminals is +77 °C                                                                                                                                                                                        |                                                 |
| <b>Tightening torque, terminal screw</b>          | 0.34 Nm                                                                                                                                                                                                                                                                                |                                                 |

| Power port                             |         |
|----------------------------------------|---------|
| <b>Tightening torque, screw flange</b> | 0.34 Nm |

<sup>a</sup>For LV and LVLV models, only compliant Class I or Class II power supplies with SELV/PELV output shall be used with the product

<sup>b</sup>For HVHV models, AC/DC1 shall be regarded as the primary supply input, which gives the highest efficiency. When both AC/DC1 and AC/DC2 inputs are energized, some portion of the unit's power consumption will be drawn from AC/DC2, while AC/DC1 will utilize the majority of the power consumption. For LVLV models, the redundant power supplies works in a load sharing mode so the current consumption will be split in half.

<sup>c</sup>Including SFP transceivers

<sup>d</sup>Measured for 0.1 second at startup

<sup>e</sup>Recommended external supply current capability for proper startup

| I/O connection, Digital input <sup>a</sup> |                                                                                                 |
|--------------------------------------------|-------------------------------------------------------------------------------------------------|
| <b>Isolation to</b>                        | All other ports                                                                                 |
| <b>Connector</b>                           | Detachable screw terminal                                                                       |
| <b>Conductor cross section (flexible)</b>  | 0.08-1.5 mm <sup>2</sup> (AWG 28-16). Use copper conductors only.                               |
| <b>Stripping length cable</b>              | 7 mm                                                                                            |
| <b>Cable temperature rating</b>            | Minimum temperature rating of the cable to be connected to the field wiring terminals is +77 °C |
| <b>Tightening torque, terminal screw</b>   | 0.22-0.25 Nm                                                                                    |
| <b>Terminal torque, screw flange</b>       | 0.3 Nm                                                                                          |
| <b>Circuit type</b>                        | SELV                                                                                            |
| <b>Maximum voltage/current</b>             | 60 VDC, $I_{IN} \leq 2.9$ mA at 60 VDC                                                          |
| <b>Voltage levels</b>                      | Logic one: >8 VDC<br>Logic zero: <5 VDC                                                         |

<sup>a</sup>External circuits connected to I/O connectors shall be SELV-rated circuits, galvanic isolated from mains.

| I/O connection, Relay output                  |                                                                                                 |
|-----------------------------------------------|-------------------------------------------------------------------------------------------------|
| <b>Contact resistance</b>                     | Maximum 30 $\Omega$                                                                             |
| <b>Isolation to</b>                           | All other ports                                                                                 |
| <b>Connector</b>                              | Detachable screw terminal                                                                       |
| <b>Conductor cross section (flexible)</b>     | 0.08-1.5 mm <sup>2</sup> (AWG 28-16). Use copper conductors only.                               |
| <b>Stripping length cable</b>                 | 7 mm                                                                                            |
| <b>Cable temperature rating</b>               | Minimum temperature rating of the cable to be connected to the field wiring terminals is +77 °C |
| <b>Tightening torque, terminal screw</b>      | 0.22-0.25 Nm                                                                                    |
| <b>Terminal torque, screw flange</b>          | 0.3 Nm                                                                                          |
| <b>Circuit type</b>                           | SELV                                                                                            |
| <b>Type of switch</b>                         | Solid state, DC general use, DC Pilot duty                                                      |
| <b>Maximum withstand across open contacts</b> | 60 VDC (continuous)                                                                             |
| <b>Permissible current</b>                    | 80 mA (continuous), 120 mA (short term 1 s.)                                                    |

| Ethernet TX <sup>a</sup> .      |                                                                                                              |
|---------------------------------|--------------------------------------------------------------------------------------------------------------|
| <b>Electrical specification</b> | IEEE std 802.3                                                                                               |
| <b>Data rate</b>                | 10 Mbit/s, 100 Mbit/s, 1 Gbit/s, manual or auto                                                              |
| <b>Duplex</b>                   | Full or half, manual or auto                                                                                 |
| <b>Circuit type</b>             | SELV according to EN/IEC/UL 61010-2-201<br>PELV according to EN/IEC 60255-27<br>TNV-1 according to IEC 62151 |
| <b>Transmission range</b>       | Up to 100 m with CAT5e cable or better                                                                       |
| <b>Isolation</b>                | All other ports                                                                                              |
| <b>Cabling</b>                  | Shielded cable CAT5e or better is recommended                                                                |
| <b>Conductive chassis</b>       | Yes                                                                                                          |

<sup>a</sup>.10/100/1000 Mbit/s ports are:

RedFox-5728-F4G-T24G-HV, -HVHV, -LV and -LVLV: 5-28

RedFox-5728-F16G-T12G-HV, -HVHV, -LV and -LVLV: 7-10, 15-18, 23-26

RedFox-5728-F24G-T4G-HV, -HVHV, -LV and -LVLV: 23-26

| SFP ports <sup>a</sup>                  |                                    |
|-----------------------------------------|------------------------------------|
| <b>Optical/Electrical specification</b> | IEEE std 802.3                     |
| <b>Data rate</b>                        | 100 Mbit/s, 1 Gbit/s               |
| <b>Duplex</b>                           | Full or half, manual or auto       |
| <b>Transmission range</b>               | Depending on transceiver           |
| <b>Connector</b>                        | SFP slot holding fibre transceiver |

<sup>a</sup>SFP ports are:

RedFox-5728-F4G-T24G-HV, -HVHV, -LV and -LVLV: 1-4

RedFox-5728-F16G-T12G-HV, -HVHV, -LV and -LVLV: 1-6, 11-14, 19-22, 27-28

RedFox-5728-F24G-T4G-HV, -HVHV, -LV and -LVLV: 1-22,27-28

| Console port                    |                                      |
|---------------------------------|--------------------------------------|
| <b>Electrical specification</b> | USB 2.0 device interface             |
| <b>Data rate</b>                | Up to 480 Mbps (high-speed mode)     |
| <b>Circuit type</b>             | PELV                                 |
| <b>Maximum supply current</b>   | 100 mA                               |
| <b>Connector</b>                | USB Micro B connector in device mode |

| Micro SD                        |                    |
|---------------------------------|--------------------|
| <b>Electrical specification</b> | Secure Digital 2.0 |
| <b>Maximum supply current</b>   | 100 mA             |
| <b>Connector</b>                | Micro SD connector |

## 5.2. Type Tests and Environmental Conditions

| Environmental phenomena                         | Basic standard | Description                                                  | Test levels                                                                                                                                                           |
|-------------------------------------------------|----------------|--------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>ESD</b>                                      | EN 61000-4-2   | Enclosure                                                    | Contact: $\pm 8$ kV<br>Air: $\pm 15$ kV                                                                                                                               |
| <b>Fast transients</b>                          | EN 61000-4-4   | AC power port<br>DC power port<br>Earth port                 | $\pm 4$ kV, direct coupling                                                                                                                                           |
|                                                 |                | I/O port<br>Ethernet ports                                   | $\pm 4$ kV, capacitive coupling clamp                                                                                                                                 |
| <b>Surge</b>                                    | EN 61000-4-5   | AC power port                                                | $\pm 4.0$ kV L-E: $12 \Omega/9 \mu\text{F}$ , $1.2/50 \mu\text{s}$<br>$\pm 2.0$ kV L-L: $2 \Omega/18 \mu\text{F}$ , $1.2/50 \mu\text{s}$                              |
|                                                 |                | DC power port                                                |                                                                                                                                                                       |
|                                                 |                | I/O port                                                     | $\pm 4.0$ kV L-E: $42 \Omega/0.5 \mu\text{F}$ , $1.2/50 \mu\text{s}$<br>$\pm 2.0$ kV L-L: $42 \Omega/0.5 \mu\text{F}$ , $1.2/50 \mu\text{s}$                          |
|                                                 |                | Ethernet ports                                               | $\pm 4.0$ kV L-E: $2 \Omega$ Direct on shield                                                                                                                         |
| <b>Power frequency magnetic field</b>           | EN 61000-4-8   | Enclosure                                                    | 100 A/m, cont.<br>1000 A/m, 3 s                                                                                                                                       |
| <b>Pulsed magnetic field</b>                    | EN 61000-4-9   | Enclosure                                                    | 300 A/m                                                                                                                                                               |
| <b>Damped oscillatory magnetic field</b>        | EN 61000-4-10  | Enclosure                                                    | 300 A/m (peak)                                                                                                                                                        |
| <b>Voltage dips and interruptions (AC port)</b> | EN 61000-4-11  | AC power port                                                | 70% $U_T$ , 1 period<br>40% $U_T$ , 50 periods<br>0% $U_T$ , 5 periods<br>0% $U_T$ , 50 periods                                                                       |
| <b>Conducted CM disturbances</b>                | EN 61000-4-16  | AC power port<br>DC power port<br>I/O port<br>Ethernet ports | 30V to 3V, 15 to 150 Hz<br>3V, 150 Hz to 1.5 kHz<br>3V to 10V, 1.5 to 15 kHz<br>30V, 15 to 150 kHz                                                                    |
| <b>Mains frequency voltage</b>                  |                |                                                              | 30V continuous, DC, 50 and 60 Hz, 300V for 1s                                                                                                                         |
| <b>Ripple on DC power supply</b>                | EN 61000-4-17  | DC power port                                                | 10% of $U_N$ , 100 Hz and 120 Hz                                                                                                                                      |
| <b>Damped oscillatory wave</b>                  | EN 61000-4-18  | AC power port<br>DC power port                               | CM: $\pm 2.5$ kV $200 \Omega/0.5 \mu\text{F}$ , 1 MHz<br>CM: $\pm 2.0$ kV $50 \Omega/33 \text{ nF}$ , 10 MHz<br>DM: $\pm 2.5$ kV $200 \Omega/0.5 \mu\text{F}$ , 1 MHz |
|                                                 |                | I/O port                                                     | CM: $\pm 2.5$ kV $200 \Omega/0.5 \mu\text{F}$ , 1 MHz<br>DM: $\pm 2.5$ kV $200 \Omega/0.5 \mu\text{F}$ , 1 MHz                                                        |
|                                                 |                | Ethernet ports                                               | CM: $\pm 2.5$ kV $200 \Omega/1 \mu\text{F}$ , 1 MHz direct of shield                                                                                                  |
| <b>Voltage dips and interruptions (DC port)</b> | EN 61000-4-29  | DC power port                                                | 70% $U_T$ , 100 ms<br>40% $U_T$ , 100 ms<br>0% $U_T$ , 50 ms                                                                                                          |

| Environmental phenomena      | Basic standard                    | Description                        | Test levels                                                                                                                                                                                                                                                                                                      |
|------------------------------|-----------------------------------|------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Radiated RF immunity</b>  | EN 61000-4-3<br>IEEE Std C37.90.2 | Enclosure                          | 20 V/m, 80% AM (1 kHz) at 80 MHz to 2 GHz, Spot freq.: 80, 160, 380, 450, 900, 1600, 1850 MHz<br>10 V/m, 80% AM (1 kHz) at 2 to 6 GHz, Spot freq.: 2150, 3800 MHz<br>20 V/m, pulse keying (2 Hz) at 80 MHz to 1 GHz, Spot freq.: 1732, 1800 MHz<br>10 V/m, pulse keying (2 Hz), Spot freq.: 2310, 2450, 5800 MHz |
| <b>Conducted RF immunity</b> | EN 61000-4-6                      | AC power port                      | 10 V 0.15 to 80 MHz, Spot freq.: 27, 68 MHz                                                                                                                                                                                                                                                                      |
|                              |                                   | DC power port                      |                                                                                                                                                                                                                                                                                                                  |
|                              |                                   | I/O port                           |                                                                                                                                                                                                                                                                                                                  |
|                              |                                   | Ethernet ports                     |                                                                                                                                                                                                                                                                                                                  |
|                              |                                   | Earth port                         |                                                                                                                                                                                                                                                                                                                  |
| <b>Radiated RF emission</b>  | CISPR 16-2-3                      | Enclosure                          | Class A (FCC Part 15B)                                                                                                                                                                                                                                                                                           |
|                              | ANSI 63.4                         |                                    |                                                                                                                                                                                                                                                                                                                  |
| <b>Conducted RF emission</b> | CISPR 16-2-1                      | Power ports                        | Class A (FCC Part 15B)                                                                                                                                                                                                                                                                                           |
|                              | ANSI 63.4                         |                                    |                                                                                                                                                                                                                                                                                                                  |
|                              | CISPR 22                          | Ethernet ports                     | Class A                                                                                                                                                                                                                                                                                                          |
| <b>Dielectric strength</b>   | IEC 60255-27                      | Power port (AC) to all other ports | 2000 VAC rms, 60 s                                                                                                                                                                                                                                                                                               |
|                              |                                   | Power port (DC) to all other ports |                                                                                                                                                                                                                                                                                                                  |
|                              |                                   | I/O port to all other ports        |                                                                                                                                                                                                                                                                                                                  |
|                              | IEEE 802.3                        | Ethernet ports to all other ports  | 1500 VAC rms, 60 s                                                                                                                                                                                                                                                                                               |
| <b>Impulse withstand</b>     | IEC 60255-27                      | Power port (AC)                    | 5 kV                                                                                                                                                                                                                                                                                                             |
|                              |                                   | Power port (DC)                    |                                                                                                                                                                                                                                                                                                                  |
|                              |                                   | I/O port                           |                                                                                                                                                                                                                                                                                                                  |
|                              |                                   | Ethernet ports                     | 1 kV                                                                                                                                                                                                                                                                                                             |

Table 9. EMC and electrical conditions

| Environmental phenomena            | Basic standard                                | Description                     | Test levels                                                                                                                                                                                                                                                                                                                                                                                                              |
|------------------------------------|-----------------------------------------------|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Temperatures</b>                | EN 60068-2-1<br>EN 60068-2-2<br>EN 60068-2-14 | Operational                     | -40 to +70°C (-40 to +158°F) <sup>a</sup> .                                                                                                                                                                                                                                                                                                                                                                              |
|                                    |                                               | Storage and transport           | -50 to +85°C (-58 to +185°F)                                                                                                                                                                                                                                                                                                                                                                                             |
| <b>Humidity</b>                    | EN 680068-2-30<br>EN 60068-2-78               | Operational                     | 5-95 % relative humidity                                                                                                                                                                                                                                                                                                                                                                                                 |
|                                    |                                               | Storage and transport           |                                                                                                                                                                                                                                                                                                                                                                                                                          |
| <b>Altitude</b>                    |                                               | Operational                     | 2000 m/80 kPa                                                                                                                                                                                                                                                                                                                                                                                                            |
| <b>Service life</b>                |                                               | Operational                     | 10 years                                                                                                                                                                                                                                                                                                                                                                                                                 |
| <b>MTBF hours<br/>RedFox model</b> | MIL-HDBK 217F                                 |                                 | 5728-(E-)F4G-T24G-LV: 344,000<br>5728-(E-)F4G-T24G-LVLV: 274,000<br>5728-(E-)F4G-T24G-HV: 316,000<br>5728-(E-)F4G-T24G-HVHV: 269,000<br>5728-(E-)F16G-T12G-LV: 356,000<br>5728-(E-)F16G-T12G-LVLV: 282,000<br>5728-(E-)F16G-T12G-HV: 353,000<br>5728-(E-)F16G-T12G-HVHV: 295,000<br>5728-(E-)F24G-T4G-LV: 371,000<br>5728-(E-)F24G-T4G-LVLV: 291,000<br>5728-(E-)F24G-T4G-HV: 386,000<br>5728-(E-)F24G-T4G-HVHV: 318,000 |
|                                    | Telcordia                                     |                                 | 5728-(E-)F4G-T24G-LV: 645,000<br>5728-(E-)F4G-T24G-LVLV: 514,000<br>5728-(E-)F4G-T24G-HV: 678,000<br>5728-(E-)F4G-T24G-HVHV: 549,000<br>5728-(E-)F16G-T12G-LV: 674,000<br>5728-(E-)F16G-T12G-LVLV: 532,000<br>5728-(E-)F16G-T12G-HV: 710,000<br>5728-(E-)F16G-T12G-HVHV: 570,000<br>5728-(E-)F24G-T4G-LV: 870,000<br>5728-(E-)F24G-T4G-LVLV: 647,000<br>5728-(E-)F24G-T4G-HV: 931,000<br>5728-(E-)F24G-T4G-HVHV: 703,000 |
| <b>Vibration</b>                   | IEC 60255-21-1                                | Operational                     | Class 2, 10 to 60 Hz at $\pm 0.075$ mm, 60 to 150 Hz at 1g<br>1 sweep cycle in each axis, 1 octave/min.                                                                                                                                                                                                                                                                                                                  |
|                                    |                                               | Non-operational, endurance test | Class 2, 10 to 150 Hz at 2g<br>20 sweep cycles in each axis, 1 octave/min.                                                                                                                                                                                                                                                                                                                                               |
|                                    | IEC 60255-21-3, method A                      | Operational, seismic test       | Class 2<br>Horizontal: 1 to 8 Hz at $\pm 7.5$ mm, 8 to 35 Hz at 2g<br>Vertical: 1 to 8 Hz at 3.5 mm, 8 to 35 Hz at 1g<br>1 sweep cycle in each axis (3x5), 1 octave/min                                                                                                                                                                                                                                                  |
|                                    |                                               |                                 | 5 to 8 Hz at $\pm 7.5$ mm                                                                                                                                                                                                                                                                                                                                                                                                |
|                                    | EN 60068-3-3                                  |                                 |                                                                                                                                                                                                                                                                                                                                                                                                                          |

| Environmental phenomena         | Basic standard    | Description     | Test levels                                                                      |
|---------------------------------|-------------------|-----------------|----------------------------------------------------------------------------------|
|                                 |                   |                 | 8 to 500 Hz at 2g<br>5 sweep cycles in each axis (3x5), 1 octave/min             |
|                                 | EN 60068-2-64     | Operational     | 2.3 m/s <sup>2</sup> random, 5 to 2000 Hz, 3x1.5h                                |
|                                 | IEEE 1613         | Operational     | Class V.S.3 1 to 150 Hz at <30 mm/s                                              |
| <b>Shock</b>                    | IEC 60255-21-2    | Operational     | Class 2, 10g/11 ms, 3x6 shocks                                                   |
|                                 |                   | Non-operational | Class 2, 30g/11 ms, 3x6 shocks                                                   |
| <b>Bump</b>                     |                   |                 | Class 2, 20g/16 ms, 6x1000 bumps                                                 |
| <b>Fall</b>                     | IEEE 1613         | Non-operational | Height of fall = 100 mm                                                          |
| <b>Device Reliability Class</b> | IEC 61850-3       |                 | Class 2: Error free, uninterrupted communication                                 |
|                                 | IEEE 1613         |                 |                                                                                  |
| <b>Enclosure</b>                | EN/IEC/UL 61010-1 | Aluminium       | Fire enclosure                                                                   |
| <b>Weight</b>                   |                   |                 | 3.8 kg                                                                           |
| <b>Degree of protection</b>     | EN 60529          | Enclosure       | IP40                                                                             |
| <b>Cooling</b>                  |                   |                 | Convection                                                                       |
| <b>Pollution degree</b>         | EN/IEC/UL 61010-1 |                 | PD2 Macro and Micro Environment                                                  |
| <b>Overvoltage category</b>     | EN/IEC/UL 61010-1 |                 | LV and LVLV models: OVC II<br>HV and HVHV models: OVC III                        |
| <b>Insulation class</b>         | EN/IEC/UL 61010-1 |                 | LV and LVLV models: Class III equipment<br>HV and HVHV models: Class I equipment |
| <b>Location</b>                 | EN/IEC/UL 61010-1 |                 | Indoor use                                                                       |

<sup>a</sup>Depending on SFP types used

*Table 10. Environmental and mechanical conditions*

## 6. Revision Notes

| Revision | Date       | Change description                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|----------|------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Rev. J   | Oct 2025   | 2.5.1 Agency Approvals and Standards Compliance updated (pending approval for Marine deleted).                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| Rev. I   | May 2025   | Illustrations updated, RedFox-5728-(E)-F24G-T4G-HV and -HVHV models added - 2.5.1 Agency Approvals and Standards Compliance updated, 3.2 Available Models updated, 4.3 Cooling; text updated, 4.3.1 SFP Placement updated, 5.1 Interface Specifications updated, 5.2 Type Tests and Environmental Conditions updated                                                                                                                                                                                                                       |
| Rev. H   | Dec. 2024  | 2.2. Safety Information; Warning - Prevent access to hazardous voltage cable updated, 2.4 Product Disposal updated, 2.5.1 Agency Approvals and Standards Compliance updated, 3.2 Available Models updated, 3.4.2. I/O Connection updated, 4.3 Cooling; text updated, 4.3.1 SFP Placement; new chapter, 5.1 Interface Specifications updated with references to new RedFox-5728-(E)-F24G-T4G-LV and -LVLV models, 5.2 Type Tests and Environmental Conditions updated with references to new RedFox-5728-(E)-F24G-T4G-LV and -LVLV models   |
| Rev. G   | April 2024 | 2.5.1 Agency Approvals and Standards Compliance updated with DNV approval, 3.2 Available Models updated, 5.1 Interface Specifications (Power port table, Ethernet TX and SFP ports) updated, 5.2 Type Test and Environmental Conditions (MTBF hours) updated with new models                                                                                                                                                                                                                                                               |
| Rev. F   | April 2023 | 3.5 LED Indicators updated (ON; Blink deleted)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| Rev. E   | Oct. 2022  | 5.1 Interface Specifications updated (rated current)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| Rev. D   | Jan. 2022  | 2.2 Safety Information updated; (Warning Safety during installation), 2.5.1 Agency Approvals and Standards Compliance updated, 2.5.2 FCC Part 15.105 Class A Notice added, 3.2 Available Models updated, 3.4.1 Power Input updated (table 5 and note), 5.1 Interface Specifications updated (Power port table, Ethernet TX table, SFP ports table and footnote for inrush current), 5.2 Type Tests and Environmental Conditions updated (altitude, MTBF hours, enclosure, degree of protection, overvoltage category and insulation class) |
| Rev. C   | Nov. 2021  | Added LV models, 3.2 Available Models updated, 3.4.1 Power Input updated, 3.4.3 Console port, text added, 3.4.5 SFP Transceivers updated, 3.5 LED Indicators updated, 5.1 Interface Specification updated, 5.2 Type Tests and Environmental Conditions updated                                                                                                                                                                                                                                                                             |
| Rev. B   | April 2021 | Product illustrations updated, 1.5 WeOS updated, 2.5.3 Simplified Declaration of Conformity updated, 3.4.3 Console port updated, 3.6 Dimensions updated, 5.1 Interface Specifications, Ethernet TX table updated, Console table updated, 5.2 Type Tests and Environmental Conditions updated                                                                                                                                                                                                                                               |
| Rev. A   | Nov. 2020  | First version of the user guide                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |

# Westermo

Westermo • Metallverksgatan 6, SE-721 30 Västerås, Sweden

Tel +46 16 42 80 00 Fax +46 16 42 80 01

E-mail: [info@westermo.com](mailto:info@westermo.com)

[www.westermo.com](http://www.westermo.com)